Attorney's Docket No.: 07064-012001 / FP00820-Applicant: Handa et al. NF236/99-VK

Serial No.: 10/073,548

Filed : February 11, 2002

Page : 2 of 8

` j

## Amendments to the Claims:

Please cancel claims 2, 5, 7-9 and 11-58.

The remaining claims are 1, 3, 4, 6, 10 and 59-64.

This listing of claims replaces all prior versions and listings of claims in the application:

## Listing of Claims:

- A pharmaceutical composition comprising an effective amount of 1. (Original) bioactive trans-tetracos-15-enoic acid extracted from a plant Indigofera tinctoria, used for the treatment of subjects with hepatic disorders.
  - 2. (Cancelled)
- A composition according to claim 1 wherein trans-tetracos-15-3. (Original) enoic acid is used singly or in combination with pharmaceutically acceptable additives.
- A composition according to claim 1 wherein the pharmaceutically 4. (Original) acceptable additives are selected from the group consisting of carriers, diluents, solvents, filters lubricants, excipients, binder or stabilizers.
  - 5. (Cancelled)
- A composition according to claim 1 wherein said composition is 6. (Original) used systemically, orally or by any clinically/medically accepted methods.

## 7. - 9. (Cancelled)

Applicant: Handa et al. Attorney's Docket No.: 07064-012001 / FP00820-Serial No.: 10/073 548 NF236/99-VK

Serial No.: 10/073,548 Filed: February 11, 2002

Page : 3 of 8

10. (Original) A composition according to claim 1, wherein the subjects is selected from the group consisting of humans and mammals, preferably humans.

## 11. - 58. (Cancelled)

- 59. (Previously Presented) A composition according to claim 1 in which said bioactive trans-tetracos-15-enoic acid is extracted by a process comprising extracting the powdered plant parts of a plant from the species *Indigofera tinctoria* with an aliphatic hydrocarbon solvent, obtaining a residue from the extract, purifying the residue by chromatography to yield a bioactive fraction and crystallizing bio-active trans-tetracos-15-enoic acid from the fraction using an alcoholic solvent.
- 60. (Previously Presented) The composition of claim 59 in which the extraction is performed at a temperature in the range of 60-80°C for about 20-30 hours.
- 61. (Previously Presented) The composition of claim 59 in which the residue is obtained by triturating the extract with a ketonic solvent.
- 62. (Previously Presented) The composition of claim 59 in which the chromatography comprises claim 60 in which said process further comprises the use of one or more of: a) a silica gel bed; b) column chromatography by eluting with a mixture of organic solvents of increasing polarity to yield a bioactive fraction; and c) high performance liquid chromatography.
- 63. (Previously Presented) The composition of claim 59 in which the aliphatic hydrocarbon solvent is petroleum ether.

Attorney's Docket No.: 07064-012001 / FP00820-NF236/99-VK

Applicant: Handa et al.
Serial No.: 10/073,548
Filed: February 11, 2002
Page: 4 of 8

(Previously Presented) The composition of claim 59 in which the alcoholic 64. solvent is methanol or isopropanol.